

One Direct Mill
FACTORY DIRECT

PRODUCT CATALOG

Exterior Wall Cladding

WPC weather-rated panel series

Direct From the Factory to Your Door.

NAPLES & SW FLORIDA
(239) 789-6196

FORT LAUDERDALE & BROWARD
(954) 658-7755

MIAMI & MIAMI-DADE
(305) 527-1020

ONEDIRECTMILL.COM

WEL21926

EVERLASTING
COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W219×D26)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (49mm×49mm)



WEL12725

EVERLASTING COMPOSITE CLADDING

OUTDOORS




FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W127×D25)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (72mm×35mm)



WEL16030

EVERLASTING
COMPOSITE CLADDING

OUTDOORS




FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W160×D30)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (90mm×44mm)



WEL15830

EVERLASTING
COMPOSITE CLADDING

OUTDOORS




FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W158×D30)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



WEL17022

EVERLASTING COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W170×D22)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



WEL12022

EVERLASTING COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W119.5×D22)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



WEL15621

EVERLASTING COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W156×D21)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



WEL13825

EVERLASTING COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W138×D25)
2.9 meters in standard length or customized.



Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



WEL14012

EVERLASTING COMPOSITE CLADDING

OUTDOORS



FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W140×D12)
2.9 meters in standard length or customized.



Recommended colors



Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)



Thanks for watching

Email: sam@kb-g.com

Office: 305-631-2727

Website:

