



One Direct Mill

FACTORY DIRECT

PRODUCT CATALOG

Shower Glass & Doors

Frameless enclosures & hardware

Direct From the Factory to Your Door.

NAPLES & SW FLORIDA

(239) 789-6196

FORT LAUDERDALE & BROWARD

(954) 658-7755

MIAMI & MIAMI-DADE


(305) 527-1020

ONEDIRECTMILL.COM



VA-S721 Inner Sliding Door

Width	Adjustment min-max	Door opening
800	785-790x785-790	700
900	885-890x885-890	800
1000	985-990x985-990	900



FRAME FINISH

 Chrome

 Matte Black

 Gun Gray

 Brushed Gold

 8mm
GLASS
THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT
ADJUSTMENT


 SUS 304
PROFILE





VA-S331 Inner Sliding Door

Width	Adjustment min-max	Door opening
1000x1000	985-990x985-990	445
1100x1100	1085-1090x1085-1090	483
1200x1200	1185-1190x1185-1190	483



FRAME FINISH

 Chrome

 Matte Black

 Gun Gray

 Brushed Gold

 8mm
GLASS
THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT
ADJUSTMENT

 SUS 304
PROFILE



VB SERIES



VB-S122 Bypass Door

Width	Adjustment min-max	Door opening
1200	1190-1200	545
1300	1290-1300	595
1400	1390-1400	645
1500	1490-1500	695
1600	1590-1600	745

FRAME FINISH









Chrome Matte Black Gun Gray Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




10mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE



VB



VB-S732 Bypass Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	545
800x1300	1290-1300	595
900x1400	1390-1400	645
900x1500	1490-1500	695

FRAME FINISH









Chrome Matte Black Gun Gray Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




5mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE




VC SERIES





VC-S122 Bypass Door

Width	Adjustment min-max	Door opening
1200	1190-1200	545
1300	1290-1300	595
1400	1390-1400	645
1500	1490-1500	695
1600	1590-1600	745



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



10mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE




SOFT CLOSE



VC-S732 Bypass Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	545
800x1300	1290-1300	595
900x1400	1390-1400	645
900x1500	1490-1500	695



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE



SOFT CLOSE


VD SERIES





VD-S122 Bypass Door

Width	Adjustment min-max	Door opening
1200	1190-1200	545
1300	1290-1300	595
1400	1390-1400	645
1500	1490-1500	695
1600	1590-1600	745



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



10mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE




SOFT CLOSE



VD-S732 Bypass Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	545
800x1300	1290-1300	595
900x1400	1390-1400	645
900x1500	1490-1500	695



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



SUS 304
PROFILE



SOFT CLOSE



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold



8
GLASS
THICKNESS



HEIGHT
2000mm



10
PRODUCT
ADJUSTMENT




SUS 304
PROFILE



SOFT CLOSE

VD-S741 T-Shape Sliding Door

Width	Adjustment min-max	Door opening
1800x1000	1790-1800	665
2000x1000	2190-2200	665




VE SERIES





VE-S121 Sliding Door

Width	Adjustment min-max	Door opening
1200	1195-1200	540
1300	1295-1300	590
1400	1395-1400	640
1500	1495-1500	690
1600	1595-1600	740



FRAME FINISH

- 
Chrome
- 
Matte Black
- 
Gun Gray
- 
Brushed Gold


8mm
GLASS
THICKNESS


HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT


SUS 304
PROFILE


SOFT CLOSE

VE-S731 Sliding Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	545
800x1300	1290-1300	595
900x1400	1390-1400	645
900x1500	1490-1500	695



FRAME FINISH

- 
Chrome
- 
Matte Black
- 
Gun Gray
- 
Brushed Gold


8mm
GLASS
THICKNESS


HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT


SUS 304
PROFILE


SOFT CLOSE


VF SERIES





VF-S121 Sliding Door

Width	Adjustment min-max	Door opening
1200	1190-1200	520
1300	1290-1300	570
1400	1390-1400	620
1500	1490-1500	670
1600	1590-1600	720



FRAME FINISH

-
-
-
-
- Chrome
- Matte Black
- Gun Gray
- Brushed Gold

8mm
GLASS THICKNESS

HEIGHT
2000mm


10mm
PRODUCT ADJUSTMENT

SUS 304 PROFILE

SOFT CLOSE

VF-S122 Bypass Door

Width	Adjustment min-max	Door opening
1200	1190-1200	580
1300	1290-1300	630
1400	1390-1400	680
1500	1490-1500	730
1600	1590-1600	780



FRAME FINISH

-
-
-
-
- Chrome
- Matte Black
- Gun Gray
- Brushed Gold

8mm
GLASS THICKNESS

HEIGHT
2000mm

10mm
PRODUCT ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT

SUS 304 PROFILE

SOFT CLOSE



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mm
GLASS
THICKNESS

HEIGHT
2000mm

5mm
PRODUCT
ADJUSTMENT


REVERSIBLE FOR
LEFT OR RIGHT

SUS 304
PROFILE

SOFT CLOSE

VF-S732 Bypass Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	545
800x1300	1290-1300	595
900x1400	1390-1400	645
900x1500	1490-1500	695




VG SERIES





VG-S132 Sliding Door

Width	Adjustment min-max	Door opening
1200	1190-1200	640
1300	1290-1300	707
1400	1390-1400	773
1500	1490-1500	840
1600	1590-1600	907



FRAME FINISH


-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 10mm
PRODUCT
ADJUSTMENT


 SUS 304
PROFILE

 SOFT CLOSE



VG-S742 Sliding Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	640
800x1300	1290-1300	707
900x1400	1390-1400	773
900x1500	1490-1500	840




FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT
ADJUSTMENT

 SUS 304
PROFILE

 SOFT CLOSE

VH SERIES



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold


8
GLASS
THICKNESS


HEIGHT
2000mm



10
PRODUCT
ADJUSTMENT


SUS 304
PROFILE


SOFT CLOSE


VH-S121 Sliding Door

Width	Adjustment min-max	Door opening
1200	1190-1200	510
1300	1290-1300	560
1400	1390-1400	610
1500	1490-1500	660
1600	1590-1600	710



VJ SERIES





VJ-P331 Pivot Door

Width	Adjustment min-max	Door opening
800x800	785-790x785-790	600
900x900	885-890x885-890	600
1000x1000	985-990x985-990	600

FRAME FINISH




Chrome Matte Black Gun Gray Brushed Gold





VJ-P131 Pivot Door

Width	Adjustment min-max	Door opening
1200	1190-1200	630
1300	1290-1300	630
1400	1390-1400	630
1500	1490-1500	630
1600	1590-1600	630



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



10mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



MAGNETIC
CLOSURE




SUS 304
PROFILE



VJ-P731 Pivot Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	640
800x1300	1290-1300	707
900x1400	1390-1400	773
900x1500	1490-1500	840



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



MAGNETIC
CLOSURE



SUS 304
PROFILE




VK SERIES





VK-P131 Pivot Door

Width	Adjustment min-max	Door opening
1200	1195-1200	630
1300	1295-1300	630
1400	1395-1400	630
1500	1495-1500	630
1600	1595-1600	630



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT 2000mm

 10mm
PRODUCT ADJUSTMENT

 REVERSIBLE FOR LEFT OR RIGHT

 MAGNETIC CLOSURE


 SUS 304 PROFILE





VK-P731 Pivot Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	640
800x1300	1290-1300	707
900x1400	1390-1400	773
900x1500	1490-1500	840



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT 2000mm

 5mm
PRODUCT ADJUSTMENT

 REVERSIBLE FOR LEFT OR RIGHT

 MAGNETIC CLOSURE

 SUS 304 PROFILE





FRAME FINISH



Chrome



Matte Black



Gun Gray



Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



MAGNETIC
CLOSURE




SUS 304
PROFILE



kapok

VK-P331 Pivot Door

Width	Adjustment min-max	Door opening
800x800	785-790x785-790	600
900x900	885-890x885-890	600
1000x1000	985-990x985-990	600



VL SERIES





FRAME FINISH


Chrome


Matte Black


Gun Gray


Brushed Gold


8mm
GLASS
THICKNESS


HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT


REVERSIBLE FOR
LEFT OR RIGHT



U
MAGNETIC
CLOSURE


SUS 304
PROFILE


kapok

VL-P331 Pivot Door


Width	Adjustment min-max	Door opening
800x800	785-790x785-790	600
900x900	885-890x885-890	600
1000x1000	985-990x985-990	600





VL-P131 Pivot Door

Width	Adjustment min-max	Door opening
1200	1190-1200	600
1300	1290-1300	600
1400	1390-1400	600
1500	1490-1500	600
1600	1590-1600	600



FRAME FINISH



ChromeMatte BlackGun GrayBrushed Gold



8mmGLASS THICKNESS



HEIGHT 2000mm



10mmPRODUCT ADJUSTMENT



REVERSIBLE FOR LEFT OR RIGHT



MAGNETIC CLOSURE




SUS 304 PROFILE



VL-P731 Pivot Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	640
800x1300	1290-1300	707
900x1400	1390-1400	773
900x1500	1490-1500	840



FRAME FINISH



ChromeMatte BlackGun GrayBrushed Gold



8mmGLASS THICKNESS



HEIGHT 2000mm



5mmPRODUCT ADJUSTMENT



REVERSIBLE FOR LEFT OR RIGHT




MAGNETIC CLOSURE



SUS 304 PROFILE


VM SERIES



VM-P752 T-Shpae Pivot Door

Width	Adjustment min-max	Door opening
1800x1000	1795-1800	630
2000x1000	1975-2000	630


FRAME FINISH





VM-P131 Pivot Door

Width	Adjustment min-max	Door opening
1200	1190-1200	630
1300	1290-1300	630
1400	1390-1400	630
1500	1490-1500	630
1600	1590-1600	630



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT 2000mm

 10mm
PRODUCT ADJUSTMENT

 MAGNETIC CLOSURE


 SUS 304 PROFILE





VM-P731 Pivot Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

 8mm
GLASS THICKNESS

 HEIGHT 2000mm

 5mm
PRODUCT ADJUSTMENT

 MAGNETIC CLOSURE

 SUS 304 PROFILE



VN SERIES





VN-H121 Hinge Door

Width	Adjustment min-max	Door opening
1100	1090-1100	630
1200	1190-1200	630
1300	1290-1300	630
1400	1390-1400	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




10mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



SUS 304
PROFILE



VN-H731 Hinge Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




5mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



SUS 304
PROFILE





VN-H131 Hinge Door

Width	Adjustment min-max	Door opening
1300	1290-1300	630
1400	1390-1400	630
1500	1490-1500	630
1600	1590-1600	630

FRAME FINISH

 Chrome

 Matte Black

 Gun Gray

 Brushed Gold


 8mm
GLASS
THICKNESS

 HEIGHT
2000mm

 10mm
PRODUCT
ADJUSTMENT

 U
MAGNETIC
CLOSURE

 SUS 304
PROFILE



VN-H331 Hinge Door

Width	Adjustment min-max	Door opening
800x800	785-790X785-790	600
900x900	885-890X885-890	600
1000x1000	985-990X985-990	600

FRAME FINISH

 Chrome

 Matte Black

 Gun Gray

 Brushed Gold


 8mm
GLASS
THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT
ADJUSTMENT


 U
MAGNETIC
CLOSURE

 SUS 304
PROFILE



VO SERIES





VO-H131 Hinge Door

Width	Adjustment min-max	Door opening
1200	1190-1200	630
1300	1290-1300	630
1400	1390-1400	630
1500	1490-1500	630
1600	1590-1600	630

FRAME FINISH

- 
Chrome
- 
Matte Black
- 
Gun Gray
- 
Brushed Gold



8mm
GLASS
THICKNESS


HEIGHT
2000mm


10mm
PRODUCT
ADJUSTMENT


MAGNETIC
CLOSURE


SUS 304
PROFILE



VO-H731 Hinge Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630

FRAME FINISH

- 
Chrome
- 
Matte Black
- 
Gun Gray
- 
Brushed Gold



8mm
GLASS
THICKNESS


HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT


MAGNETIC
CLOSURE


SUS 304
PROFILE





FRAME FINISH


Chrome


Matte Black



Gun Gray


Brushed Gold


8mm
GLASS
THICKNESS


HEIGHT
2000mm



5mm
PRODUCT
ADJUSTMENT


MAGNETIC
CLOSURE


SUS 304
PROFILE

VO-H331 Hinge Door

Width	Adjustment min-max	Door opening
800x800	785-790X785-790	600
900x900	885-890X885-890	600
1000x1000	985-990X985-990	600



VP SERIES





VP-H131 Hinge Door

Width	Adjustment min-max	Door opening
1200	1190-1200	630
1300	1290-1300	630
1400	1390-1400	630
1500	1490-1500	630
1600	1590-1600	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold


 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 10mm
PRODUCT ADJUSTMENT

 MAGNETIC CLOSURE

 SUS 304 PROFILE



VP



VP-H731 Hinge Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold


 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT ADJUSTMENT

 MAGNETIC CLOSURE

 SUS 304 PROFILE





FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mm
GLASS
THICKNESS

HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT

MAGNETIC
CLOSURE

SUS 304
PROFILE

VP-H331 Hinge Door

Width	Adjustment min-max	Door opening
800x800	785-790X785-790	600
900x900	885-890X885-890	600
1000x1000	985-990X985-990	600



VR SERIES





VR-H131 Hinge Door

Width	Adjustment min-max	Door opening
1200	1195-1200	630
1300	1295-1300	630
1400	1395-1400	630
1500	1495-1500	630
1600	1595-1600	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold


 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT ADJUSTMENT

 U
MAGNETIC CLOSURE

 SUS 304
PROFILE



VR-H731 Hinge Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold


 8mm
GLASS THICKNESS

 HEIGHT
2000mm

 5mm
PRODUCT ADJUSTMENT

 U
MAGNETIC CLOSURE

 SUS 304
PROFILE





FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mm
GLASS
THICKNESS

HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT

MAGNETIC
CLOSURE

SUS 304
PROFILE

VR-H331 Hinge Door

Width	Adjustment min-max	Door opening
800x800	785-790X785-790	600
900x900	885-890X885-890	600
1000x1000	985-990X985-990	600



VS SERIES



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mm
GLASS
THICKNESS

HEIGHT
2000mm


5mm
PRODUCT
ADJUSTMENT

U
MAGNETIC
CLOSURE

SUS 304
PROFILE

VS-H331 Hinge Door

Width	Adjustment min-max	Door opening
800x800	785-790X785-790	600
900x900	885-890X885-890	600
1000x1000	985-990X985-990	600





VS-H121 Hinge Door

Width	Adjustment min-max	Door opening
1200	1195-1200	630
1300	1295-1300	630
1400	1395-1400	630
1500	1495-1500	630
1600	1595-1600	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




5mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



SUS 304
PROFILE



VS-H731 Hinge Door

Width	Adjustment min-max	Door opening
800x1200	1190-1200	630
800x1300	1290-1300	630
900x1400	1390-1400	630
900x1500	1490-1500	630

FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold



8mm
GLASS
THICKNESS



HEIGHT
2000mm




5mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



SUS 304
PROFILE



VS

European Style

Tradition worth respect

MAKE YOUR LIFE FULL OF ROMANCE AND ELEGANCE.

Pursuing excellent quality, adding a sense of nobility and style to your life.



AA SERIES



FRAME FINISH

- 
Chrome
- 
Satin silver
- 
Black
- 
Brushed nickel
- 
Matte white


GLASS THICKNESS


HEIGHT 1950mm


PRODUCT ADJUSTMENT



REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE


ALUMINIUM PROFILE

AA-S121 Sliding Door


Width	Adjustment min-max	Door opening
1000	970-1000	420
1100	1070-1100	470
1200	1170-1200	520
1300	1270-1300	570
1400	1370-1400	620





AA-S131 Sliding Door

Width	Adjustment min-max	Door opening
1400	1370-1400	520
1500	1470-1500	520
1600	1570-1600	520



FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white

6mm
GLASS THICKNESS

HEIGHT
1950mm

15mm
PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE

ALUMINIUM PROFILE



AA-S142 Sliding Door

Width	Adjustment min-max	Door opening
1500	1470-1500	640
1600	1570-1600	690
1700	1670-1700	740



FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white

6mm
GLASS THICKNESS

HEIGHT
1950mm

15mm
PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE



FRAME FINISH



Chrome Satin silver Black Brushed nickel Matte white

6
GLASS
THICKNESS

↑
HEIGHT
1950mm

15
PRODUCT
ADJUSTMENT


↔
REVERSIBLE FOR
LEFT OR RIGHT

U
MAGNETIC
CLOSURE

**ALUMINIUM
PROFILE**

AA-S742 Corner Entry

Width	Adjustment min-max	Door opening
800x800	775-790x775-790	460
900x900	875-890x875-890	530
1000x1000	975-990x975-990	600
1100x1100	1075-1090x1075-1090	670
1200x1200	1175-1190x1175-1190	740





FRAME FINISH



Chrome Satin silver Black Brushed nickel Matte white

6mm
GLASS
THICKNESS

1950mm
HEIGHT

15mm
PRODUCT
ADJUSTMENT


REVERSIBLE FOR
LEFT OR RIGHT

MAGNETIC
CLOSURE

ALUMINIUM
PROFILE

AA-S242 Quadrant Door

Width	Adjustment min-max	Door opening
800x800	775-790x775-790	450
900x900	875-890x875-890	500
1000x1000	975-990x975-990	500
1100x1100	1075-1090x1075-1090	500
1200x1200	1175-1190x1175-1190	500





FRAME FINISH



Chrome Satin silver Black Brushed nickel Matte white

6mm
GLASS THICKNESS

15mm
HEIGHT 1950mm

15mm
PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE

AA-F122 Bifold Door

Width	Adjustment min-max	Door opening
800	770-800	500
900	870-900	600
1000	970-1000	700





FRAME FINISH



Chrome Satin silver Black Brushed nickel Matte white

6mm

GLASS THICKNESS

HEIGHT 1950mm

15mm

PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


U

MAGNETIC CLOSURE

ALUMINIUM PROFILE

AA-P111 Pivot Door

Width	Adjustment min-max	Door opening
800	770-800	650
900	870-900	750
1000	970-1000	850





FRAME FINISH




Chrome Satin silver Black Brushed nickel Matte white



AA-SP

Side Panel

Width	Adjustment min-max
800	775-790
900	875-890
1000	975-990



AB SERIES





FRAME FINISH



Chrome Satin silver Black Brushed nickel Matte white



6
GLASS
THICKNESS



HEIGHT
1950mm



20
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT




MAGNETIC
CLOSURE



ALUMINIUM
PROFILE

AB-P111 Pivot Door


Width	Adjustment min-max	Door opening
700	670-700	550
800	770-800	650
900	870-900	750
1000	970-1000	850





AB-P121 Pivot Door

Width	Adjustment min-max	Door opening
1000	970-1000	630
1100	1070-1100	630
1200	1170-1200	630
1300	1270-1300	630



FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white

6mm
GLASS THICKNESS

HEIGHT
1950mm

20mm
PRODUCT ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT


MAGNETIC
CLOSURE

ALUMINIUM
PROFILE



AB-P731 Pivot Door

Width	Adjustment min-max	Door opening
1000x800	975-990x775-790	630
1100x800	1075-1090x775-790	630
1200x800	1175-1190x775-790	630
1300x800	1275-1290x775-790	630



FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white

6mm
GLASS THICKNESS

HEIGHT
1950mm

20mm
PRODUCT ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT


MAGNETIC
CLOSURE

ALUMINIUM
PROFILE



AB-P122 Pivot Door

Width	Adjustment min-max	Door opening
1000	970-1000	900
1100	1070-1100	1000
1200	1170-1200	1100
1300	1270-1300	1200
1400	1370-1400	1300




FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white



AB-P722 Corner Entry

Width	Adjustment min-max	Door opening
800x800	775-790x775-790	700
900x900	875-890x875-890	800
1000x1000	975-990x975-990	900



FRAME FINISH

-
- Chrome
-
- Satin silver
-
- Black
-
- Brushed nickel
-
- Matte white



ABZ-P111 Bath Screen

Width	Adjustment min-max	Door opening
800	785-800	700

FRAME FINISH

- 
Chrome
- 
Satin silver
- 
Black
- 
Brushed nickel
- 
Matte white



6mm
GLASS
THICKNESS



HEIGHT
1500mm




20mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



ALUMINIUM
PROFILE



ABZ-P121 Bath Screen

Width	Adjustment min-max	Door opening
1000	985-1000	700

FRAME FINISH

- 
Chrome
- 
Satin silver
- 
Black
- 
Brushed nickel
- 
Matte white



6mm
GLASS
THICKNESS



HEIGHT
1500mm




20mm
PRODUCT
ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT



ALUMINIUM
PROFILE




AK SERIES



AK-P731 Pivot Door

Width	Adjustment min-max	Door opening
800x1200	790-800x1120-1200	700
900x1200	890-900x1120-1200	700
1000x1200	990-1000x1120-1200	700



FRAME FINISH

-
-
-
-
-
- Chrome Satin silver Black Brushed nickel Matte white

6mm
GLASS
THICKNESS

HEIGHT
1950mm

80mm
PRODUCT
ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT


MAGNETIC
CLOSURE

ALUMINIUM
PROFILE



AK-P121 Pivot Door

Width	Adjustment min-max	Door opening
800	720-800	600
900	820-900	700
1000	920-1000	700



FRAME FINISH

-
-
-
-
-
- Chrome Satin silver Black Brushed nickel Matte white

6mm
GLASS
THICKNESS

HEIGHT
1950mm

80mm
PRODUCT
ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT

MAGNETIC
CLOSURE

ALUMINIUM
PROFILE


WK SERIES





WK-W110-01 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

-
- Bright silver
-
- Satin silver
-
- Matte Black
-
- Brushed nickel
-
- Matte white

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 2000mm

15mmPRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

ALUMINIUM PROFILE



WK-W110-02 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

-
- Chrome
-
- Matte Black
-
- Gun Gray
-
- Brushed Gold

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 2000mm

15mmPRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

SUS 304 PROFILE



WK-W110-03 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

-
-
-
-
-
- Bright silver
- Satin silver
- Matte Black
- Brushed nickel
- Matte white

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 2000mm

15mm

PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

ALUMINIUM PROFILE



WK-W110-04 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

-
-
-
-
-
- Bright silver
- Satin silver
- Matte Black
- Brushed nickel
- Matte white

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 2000mm

15mm

PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

ALUMINIUM PROFILE



WK-W110-05 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

Chrome Matte Black Gun Gray Brushed Gold

8mm GLASS THICKNESS

or

10mm GLASS THICKNESS

 HEIGHT 2000mm

 15mm PRODUCT ADJUSTMENT


 REVERSIBLE FOR LEFT OR RIGHT

 SUS 304 PROFILE



WK-W110-06 Walk In

Width	Adjustment min-max	Door opening
900	880-900	1000
1000	980-1000	1000
1200	1180-1200	1000
1400	1380-1400	1000



FRAME FINISH

Chrome Matte Black Gun Gray Brushed Gold

8mm GLASS THICKNESS

or

10mm GLASS THICKNESS

 HEIGHT 2000mm

 15mm PRODUCT ADJUSTMENT


 REVERSIBLE FOR LEFT OR RIGHT

 SUS 304 PROFILE



WK-H121 Walk In

Width	Adjustment min-max	Door opening
900	880-900	550
1000	980-1000	550
1200	1180-1200	550
1400	1380-1400	550



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 2000mm

15mm


PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

SUS 304 PROFILE

WK-P121 Walk In

Width	Adjustment min-max	Door opening
900	880-900	550
1000	980-1000	550
1200	1180-1200	550
1400	1380-1400	550



FRAME FINISH

-  Chrome
-  Matte Black
-  Gun Gray
-  Brushed Gold

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS


HEIGHT 2000mm

15mm

PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

SUS 304 PROFILE



WK-W720 Walk In

Width	Adjustment min-max	Door opening
900x1200	1185-1200	450
900x1400	1385-1400	500



FRAME FINISH

-
-
-
-
-
- Bright silver
- Satin silver
- Matte Black
- Brushed nickel
- Matte white

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 2000mm

15mm

PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

ALUMINIUM PROFILE



WK-W730 Walk In

Width	Adjustment min-max	Door opening
900x1200	1185-1200	450
900x1400	1385-1400	500



FRAME FINISH

-
-
-
-
-
- Bright silver
- Satin silver
- Matte Black
- Brushed nickel
- Matte white

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 2000mm

15mm

PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

ALUMINIUM PROFILE

North American Style

The perfect fusion of nature and modernity.

INTEGRATING TRADITION AND INNOVATION

Pursuing a perfect balance between practicality and comfort,
adding warmth and comfort to your life.




PA SERIES





PA-S122 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	550
60"	1474-1499	700



FRAME FINISH

-
-
-
-
- Bright Silver
- Matte Black
- Brushed Nickel
- Matte White

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 75"


25mm

PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE

ALUMINIUM PROFILE



PA-S732 Barn Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	550
36"x60"	879-894x1484-1499	700



FRAME FINISH

-
-
-
-
- Bright Silver
- Matte Black
- Brushed Nickel
- Matte White

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 75"

25mm

PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE


PB SERIES





PB-S122 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	550
60"	1474-1499	700





FRAME FINISH



Bright Silver Matte Black Brushed Nickel Matte White




or



PB-S732 Barn Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	550
36"x60"	879-894x1484-1499	700





FRAME FINISH



Bright Silver Matte Black Brushed Nickel Matte White



or




PC SERIES





PC-S121 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	510
60"	1474-1499	630



FRAME FINISH



Bright Silver Matte Black Brushed Nickel Matte White

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"

25mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE

ALUMINIUM PROFILE



PC-S731 Barn Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	510
36"x60"	879-894x1484-1499	630



FRAME FINISH



Bright Silver Matte Black Brushed Nickel Matte White

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"


25mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE

SA SERIES



SA-S122 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	550
60"	1474-1499	700

FRAME FINISH

- 
Bright Silver
- 
Matte Black
- 
Brushed Nickel
- 
Matte White

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"

25mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE


PD SERIES





PD-S121 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	510
60"	1474-1499	630



FRAME FINISH

-
- Chrome
-
- Matte Black
-
- Gun Gray
-
- Brushed Gold

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 75"

25mm

PRODUCT ADJUSTMENT


REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

SUS 304 PROFILE

PDZ-S121 Bath Screen

Width	Adjustment min-max	Door opening
60"	1474-1499	630



FRAME FINISH

-
- Chrome
-
- Matte Black
-
- Gun Gray
-
- Brushed Gold

8mm

GLASS THICKNESS

or

10mm

GLASS THICKNESS

HEIGHT 75"

25mm

PRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

SUS 304 PROFILE



PD-S731 Barn Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	510
36"x60"	879-894x1484-1499	630

FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold



8mm
GLASS
THICKNESS

or



10mm
GLASS
THICKNESS



HEIGHT
75"



15mm
PRODUCT
ADJUSTMENT




REVERSIBLE FOR
LEFT OR RIGHT



MAGNETIC
CLOSURE



SUS 304
PROFILE




PE SERIES





PE-S121 Barn Door

Width	Adjustment min-max	Door opening
48"	1169-1194	510
60"	1474-1499	630



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS


HEIGHT 75"

25mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE

SUS 304 PROFILE



PE-S731 Barn Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	510
36"x60"	879-894x1484-1499	630



FRAME FINISH



Chrome Matte Black Gun Gray Brushed Gold

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"

15mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

SUS 304 PROFILE


AX SERIES





AX-P121 Pivot Door

Width	Adjustment min-max	Door opening
60"	1474-1499	700



FRAME FINISH



Matte Black



Matte White

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"

25mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT


MAGNETIC CLOSURE

ALUMINIUM PROFILE



AX-P731 Pivot Door

Width	Adjustment min-max	Door opening
36"x48"	879-894x1179-1194	700



FRAME FINISH



Matte Black



Matte White

8mmGLASS THICKNESS

or

10mmGLASS THICKNESS

HEIGHT 75"

15mmPRODUCT ADJUSTMENT

REVERSIBLE FOR LEFT OR RIGHT

MAGNETIC CLOSURE

ALUMINIUM PROFILE